



Hot Pressure Trailer Pressure-Pro Hot Pressure Washer

Portable and powerful cleaning power that goes wherever you need it. The Pressure Pro is built for heavy duty cleaning jobs with the right amount of heat and pressure that you need to get even the toughest jobs done. This industrial-strength trailer is DOT compliant and delivered turn-key and ready to use. A popular favorite, use the Pressure Pro for washing down equipment on the jobsite, water blasting, building exterior cleaning and environmental cleaning.

Features and Benefits



Features

- Choice of gas or diesel powered engine
- 5.5 GPM at 3,500 PSI (or 4,000 PSI option)
- 3VX belt system for balanced power transfer
- Triplex plunger pump, industrial grade engine
- High pressure hose with quick connect trigger gun and 4 nozzles, and 180 degree swivel reel

Benefits

- DOT compliant for public roads
- Starts easily and reliably with electric start
- Adjustable thermostat, to 120 degree rise
- Pressure relief valve for safety
- Ships turnkey, ready to use
- Manufacturer's warranty

We are here to serve you. Just call or email with your project specifications and details, and we'll do the rest. Our goal is to provide the best solution for your project, with materials delivered on time at a price that fits nicely within your budget.

Specifications

Specifications

| | |
|----------------|--|
| Tank | 500 gallon "Algae Resistant" black poly tank |
| Engine | Honda GX630 24 HP (or Diesel Kohler KDWI003 23.4 HP option), with electric start and battery |
| Pump | High Performance HP5535 Triplex plunger pumps |
| Power Transfer | 3VX belt system for balanced power transfer |
| Volume | 5.5 GPM |
| Pressure | 3,500 PSI (4,000 PSI with diesel option) with safety pressure relief valve |
| Heating | Reliable diesel fired Beckett burners 120 degree maximum rise Super-efficient insulated schedule 80 coil Stainless steel coil wrap, burner hood, control panel Adjustable thermostat |
| Fuel Tanks | 15 gallon poly fuel tanks with fuel filters |
| Misc | 2" Anti-Siphon Fill / Hose Bottom Fill Max-Flo 20% chemical injector |
| Hoses | 50' high pressure hose with quick connects Spray gun/want assembly with quick connects 4 color coded quick connect spray nozzles |
| Frame | 6" steel frame with powder coated finish 70" height x 80" wide x 210" length |
| Wheel Track | 70" |
| Axels | Tandem leaf spring |
| Brakes | Surge Brakes |
| Tires | ST225/75D15 |

Our Websites:

www.collapsiblepillowtank.com
www.erosioncontrol-products.com

www.firesuppressiontank.com
www.plastic-watertanks.com

www.water-storage-containers.com
www.water-storage-tank.com