



Combo Trailer


Portable Generator, Light Tower & 500 Gallon Water Tank

Why buy 3 separate trailers for the jobsite when one will do? The Combo Trailer saves you the expense and hassle of transporting 3 different trailers by combining the features into one convenient DOT transportable trailer.

The Combo trailer's 15kW Allmand generator provides up to 300 hours of power for your jobsite on just one diesel tankful. The light tower uses a hydraulic lift to position, with 4 LED light fixtures that create a lighted area to extend the work day into the night. And lastly, the combo trailer is also a water trailer, with a potable water, algae resistant tank and potable water compliant components.

Delivered fully assembled, just add diesel and water and tow it to any worksite accessible by truck.

Features and Benefits



Features

- Caterpillar C1.5 Turbo T4F diesel 22.3 hp engine
- 16'8" hydraulically raised light tower
- 7 electrical outlets: 20 AMP/120V to 50 AMP/240V
- Algae resistant 500 g potable water tank
- DOT compliant trailer for public road use

Benefits

- Eliminates need for separate water, power and light trailers on site
- Transport on or off public roads
- Can provide drinking water supply
- Extends workday beyond daylight hours if needed

We are here to serve you. Just call or email with your project specifications and details, and we'll do the rest. Our goal is to provide the best solution for your project, with materials delivered on time at a price that fits nicely within your budget.

Specifications

Specifications

Weight	5,240 lbs (Empty) / 11,500 (Full)
GVWR (Gross Vehicle Weight Rating)	14,000 lbs
Tandem Slipper Spring Axles	7,000 lbs axles / 8,000 lbs springs
Tires	235/80R16
Dimensions	228" L x 83" W
Trailer Frame	7" Channel Iron with Recessed Lights
Surge Brakes Actuator	20,000 lb / 2 5/16" ball or 3" ring
Water Tank	500 Gal (black to protect against algae growth)
Water System	Flojet 5 gpm, 110v, 45 psi
Freeze Protection	Freeze Protection Package (optional)
Pressure Tank	2 gallon tank for constant pressure
Diesel Fuel Tank	240 gallon
Lighting and Tower	4 x 320 watt LED fixtures, 320" six-section, hydraulically-actuated vertical tower
Power System:	Allmand Maxi-Lite II 15kW V-Series
Engine:	Caterpillar C1.5 Turbo T4F, liquid-cooled diesel 22.3 hp
Generator	15 kW single-phase 120/240V generator
Starting	12V electric pre-heat cold starting system
Circuits	Hard-wired electrical
Outlets	1 – 60 AMP / main disconnect 2 – 20 AMP / 120V duplex 3 – 30 AMP / 240V 4 wire twist lock 1 – 50 AMP / 240V / RV Outlet
Width	79" (w/ Fenders)
Height	66" (w/ Fill Kit - 66")
Weight	1,800 lb (Empty)

Our Websites:

www.collapsiblepillowtank.com
www.erosioncontrol-products.com

www.firesuppressiontank.com
www.plastic-watertanks.com

www.water-storage-containers.com
www.water-storage-tank.com