



## Express 800 Gallon Water Trailer Dependable Water Transportation

The Express 800 Gallon Water Trailer is DOT compliant for use on roadways. Featuring LED brake lights, surge brakes, diamond tread fenders, an adjustable hitch, and safety chain, it includes everything to keep you safe on the road. The 800 gallon model has a high-capacity tank without the need for a CDL (check your local restrictions). The rugged 6" channel iron frame with the heavy-duty poly tank combine for a durable unit. The water trailer delivers water around your job site, farm, residence, or other remote locations for dust control, irrigation, and many other uses.

# Features and Benefits



## Features

- 2" Tsurumi Pump with 4 HP Honda Engine
- Galvanized Spray Bar with Double Nozzles
- 25' Fire Hose and Nozzle
- Diamond Tread Fenders and LED Lights
- Surge Brakes (Optional Electric Brakes)

## Benefits

- Many Options for Filling and Spraying
- DOT Compliant with Lights, Brakes, Safety Chain
- No CDL is Required (check local restrictions)
- Delivered Fully Assembled & Ready to Use
- Bottom Sump for Fast Tank Draining

*We are here to serve you. Just call or email with your project specifications and details, and we'll do the rest. Our goal is to provide the best solution for your project, with materials delivered on time at a price that fits nicely within your budget.*

# Specifications

## Specifications

Tank Style	800 Gallon Polyethylene Elliptical Leg Tank
Tank Color	Translucent White
Frame	6" Channel Iron
Axles	Tandem Slipper Spring
DOT Compliant	LED Brake Lights
Brakes	Double Free Backing Surge
Fenders	Diamond Tread
Finish	Powder Coat Black Acrylic
Warranty	Manufacturer's Warranty
Discharge Bar	Galvanized
Spray Bar	Galvanized with Double Nozzles; 8'-25' Swath
Suction Hose	20'x2"
Fire Hose	25'x1.5" Hose and Nozzle
Engine	4 HP Honda Engine
Pump	2" Tsurumi Aluminum Pump
Tires	16" on E-Z Lube Hubs with 8 Lugs
Capacity	9,000 lbs. (GVWR)
Length	165"
Width	86.5" (w/ Fenders)
Height	79.5" (w/ Fill Kit)
Weight	1,960 lb (Empty)
Hitch	2-5/16" Ball or 3" Pintle

### Our Websites:

[www.collapsiblepillowtank.com](http://www.collapsiblepillowtank.com)  
[www.erosioncontrol-products.com](http://www.erosioncontrol-products.com)

[www.firesuppressiontank.com](http://www.firesuppressiontank.com)  
[www.plastic-watertanks.com](http://www.plastic-watertanks.com)

[www.water-storage-containers.com](http://www.water-storage-containers.com)  
[www.water-storage-tank.com](http://www.water-storage-tank.com)